The ergonomical Man-Machine Interface



















COP handy

- Easy to operate
- Flexible adaptation through process-specific applications
- Universal in connection: direct or via field bus
- Full-graphics CFL-backlight LC display, 256 x 64 Pixel
- Dustproof and splash-proof to IP54
- Versions with emergency stop button, handwheel or joystick are available







COP touch

- 1/4 VGA CFL-backlight LC display, 320 x 240 pixels
- Resistive touchscreen, 6 x 6 fields
- Resistant to contamination
- Flexible adaptation to a wide range of applications







COP Warp

- Ergonomic development of COP handy
- Robust construction, IP 54
- Easy operation for left-handers and right-handers
- Flexibel application
- Full-graphics display with 1/4 VGA
- Also available with touchscreen
- Project-spezific visualization
- 50 configurable dialog pages







COP Terminal

- Panel-mounted terminals in an uniform layout
- Clear operation
- Stable construction
- Flexible application
- Universal interfacing
- Four-line alphanumeric display or full-graphics 1/4-VGA display
- BT-Terminals can be used in small environment





Configuration Software

- Configuring and visualization software ProDesigner and ProDesigner BT for Windows 95/98/ME
- Creation and simulation of applications on a PC
- Mathematical and logical functions
- Output and evaluate alarm messages





